

ES1

Square & Bevelled

Glass to Wall T Shape
90° Shower Hinge

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Stud fixing recommended for all glass to wall applications

Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes

- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required







ES1



B-ES1

Compatible with both cut out options



ES1L Square & Bevelled

Glass To Wall L Shape
90° Shower Hinge

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Stud fixing recommended for all glass to wall applications

Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required







ES1L



B-ES1L

Compatible with both cut out options



ES1L CBP

Square & Bevelled

Glass To Wall L Shape
90° Shower Hinge With
Extended Back Plate

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Stud fixing recommended for all glass to wall applications

Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required







B-ES1L CBP



ES1L CBP

Compatible with both cut out options



ES1L B2B

Square & Bevelled

Back To Back Glass To Glass
 L Shape 90° Shower Hinge

Technical Details


- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs

Available Finishes

- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request





Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required



ES1L B2B pictured.
 Also available in Bevelled: B-ES1L B2B

Compatible with both cut out options



ES1 SB

Square & Bevelled

Glass To Wall 90° Shower
Hinge With Short Fixing Plate

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Stud fixing recommended for all glass to wall applications


Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes

- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request




Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required



ES1 SB pictured.
Also available in Bevelled: B-ES1 SB

Compatible with both cut out options



ES1-90

Square & Bevelled

Glass To Wall 135° Corner Mounted Shower Hinge With 90° Fixing Plate

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Stud fixing recommended for all glass to wall applications
- 55mm x 8mm notch required in corner of wall

Please note: Wall fixing screws sold separately. See page A63 for details.

Available Finishes

- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required









ES1-90



B-ES1-90

Compatible with both cut out options



ES2

Square & Bevelled

Glass To Glass 180° Shower Hinge

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required







ES2



B-ES2

Compatible with both cut out options



ES2-135 Square & Bevelled

Glass To Glass 135° Shower Hinge

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs
- Custom angles available from minimum 125°

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required






ES2-135



B-ES2-135

Compatible with both cut out options



ES2-90

Square & Bevelled

Glass To Glass 90° Shower Hinge

Technical Details

- Manufactured in brass
- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 10mm glass
- Can be adapted for 6 and 8mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6 or 8mm glass
- Finish required






ES2-90




B-ES2-90

Compatible with both cut out options



ES2-BF

Square & Bevelled



Glass To Glass Bifold Shower Hinge

Technical Details

- Manufactured in brass
- Suitable for 10mm glass
- Can be adapted for 6, 8 and 12mm glass
- Maximum door width for 10mm glass is 800mm
- Maximum door weight = 35kgs

Available Finishes


- Polished chrome
- Satin chrome
- Gold
- Special finishes upon request

Specify at time of order

- 6, 8, 10 or 12mm glass
- Finish required



ES2-BF pictured.
Also available in Bevelled: B-ES2-BF



C-MES1

6mm Glass

Mycro Glass To Wall T Shape
90° Shower Hinge

Technical Details

- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 6mm glass only
- Maximum door width = 700mm
- Maximum door weight = 25kgs
- Size of wall fixing plate = 70mm x 50mm



Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes

- Polished chrome
- Satin chrome
- Gold

Specify at time of order

- Finish required



C-MES1L

6mm Glass

Mycro Glass To Wall L Shape
90° Shower Hinge

Technical Details

- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 6mm glass
- Maximum door width = 710mm
- Maximum door weight = 28kgs
- Size of wall fixing plate = 70mm x 38mm
- Stud fixing recommended for all glass to wall applications




Please note: Wall fixing screws sold separately.
See page A63 for details.

Available Finishes

- Polished chrome
- Satin chrome
- Gold

Specify at time of order

- Finish required



C-MES2

6mm Glass

Myro Glass To Glass
180° Shower Hinge

Technical Details



- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 6mm glass only
- Maximum door width = 700mm
- Maximum door weight = 25kgs

Available Finishes

- Polished chrome
- Satin chrome
- Gold

Specify at time of order

- Finish required



C-MES2-135

6mm Glass

Mycro Glass To Glass
135° Shower Hinge

Technical Details




- Dual action hinge opening inwards and outwards
- Self closing from approximately 25 degrees
- Suitable for 6mm glass only
- Maximum door width = 700mm
- Maximum door weight = 25kgs

Available Finishes

- Polished chrome
- Satin chrome
- Gold

Specify at time of order

- Finish required



S-MES2 BF

6mm Glass

Square Glass To Glass
Mycro Bifold Hinge

Technical Details



- Used in fix and swing configurations over baths
- Hinge folds back 180°
- Suitable for 6mm glass
- Maximum door width = 550mm
- Maximum door weight = 20kgs

Available Finishes

- Polished chrome
- Satin chrome
- Gold

Specify at time of order

- Finish required



OPTO Shower

by Fethers

Freedom of Design

OPTO comes in three standard configurations (OPTO Inline, OPTO Square and OPTO Trio) to suit a multitude of bathroom layouts.

Adaptability

OPTO's standard shower kit is quickly and easily adaptable to slide from either left or right without the need for customisation.

Capacity

Doors can weigh up to 45kg in either 8mm or 10mm toughened glass.

Functionality

OPTO's sliding door function facilitates optimum use of space, even in the most confined bathroom environments.

Convenience

OPTO comes neatly and conveniently packaged in kit form preventing the likelihood of parts being lost or misplaced.

Installation Friendly

OPTO has been designed with installers in mind. The simple bolt together construction facilitates fast and easy installation. Simply cut the rail to size and bolt the screen together.

Ease of Operation

OPTO's sliding door function provides effortless operation.



OPTO Shower

by Fethers

Product Codes

- OPT1 Bracket
- OPT2 Door Stop
- OPT3 Floor Guide
- OPT4 Roller
- OPT5 Fixing
- OPT6 Bracket
- OPT7 Top Track (Up to 1650mm)
- OPT7 2400 (Top track up to 2400mm)

Technical Details

- Manufactured in Architectural Grade 304 Stainless Steel
- Maximum standard door/sidelight dimensions of 1650mm. Sizes up to 2400mm available.
- Maximum weight of door 45kg
- Suitable for 8mm and 10mm glass

Available Finishes

- Polished Stainless Steel
- Satin Stainless Steel

Specify at time of order

- OPTO Shower configuration
- Finish required
- SDH10 Sliding Door Handle (optional) see page G11

For more information please contact sales support (03) 8562 0888

Configurations



opto
inline



opto
square



opto
trio

Components



OPT1 Bracket



OPT2 Door Stop



OPT3 Floor Guide



OPT4 Roller



OPT5 Fixing



OPT6 Bracket



OPT7 Rail



SDH10

Handle Option - See page G11