


# Contour™ 2050

PERIMETER FRAMED PIVOTING SHOWER SCREEN SYSTEM WITH FRAMELESS DOOR



**AUSTRALIAN  
STANDARDS  
COMPLIANT**

- ✓ POWDER COATING
- ✓ ANODISING
- ✓ EXTRUSION

- ✓ CHROME COMPONENT
- ✓ GOLD PLATING COMPONENT
- ✓ SAFETY GLASS



# Contour™ 2050

## PERIMETER FRAMED PIVOTING SHOWER SCREEN SYSTEM WITH FRAMELESS DOOR

**Contour™ 2050 features rounded convex profile with protruding glazing fascia outer frame design.**

### Exceptional Value

Indulge your imagination and create an absolute premium bathroom design at a surprisingly affordable price.

### Design Flexibility

**Contour™ 2050** Shower Screen Systems can be designed for installation into most bathrooms. Ask your distributor for advice on a design to suit your needs.

### Handle Selection

An extensive range of handles are available in your choice of either clear acrylic, aluminium powder coated and gold, satin or chrome plated finishes.



### Components

Component and design features combine to provide convenience and colour co-ordination.

- Snap Caps
- Anti-bacterial clear (i.e. frost) and colour matched glazing vinyl
- Pivot Clamp System
- Magnetic Door Latch



### Adjustment

Provides up to 15mm jamb adjustment for out-of-square walls for ease of installation and further cost savings.

### Frameless Patented Pivot Mechanism

Unique pivot design allows for a totally frameless door. Utilising a captive stainless steel top pivot pin, the **Contour™ 2050** Shower Screen System features a 'positive close' low friction design mechanism, providing the benefit of whisper-quiet and trouble-free operation.

The 'lowering' effect of the design automatically reduces the gap between door and sill on door closure, which further assists with the minimisation of external splashing and improved water resistance.



Over 180° of door swing is possible, enabling both inward and outward opening if required, providing maximum use of bathroom area.

### Water Resistance

**Contour™ 2050** can be specially made to include magnetic and/or non-magnetic seal closures, maximising water splash resistance so your bathroom remains drier and safer.

### Safety

**Contour™ 2050** Shower Screen Systems incorporates a captive top pivot pin mechanism so the door cannot be dislodged from the shower screen head section. The **Contour™ 2050** Shower Screen Systems are glazed to comply with the requirements of Australian Standards AS2208 and AS1288.

### Magnetic Door Latch Mechanism

**Contour™ 2050** is also available with a specifically designed magnetic door location feature. The Magnetic mechanism has no moving parts resulting in trouble free whisper quite operation.



### Low Maintenance

Smooth contoured profiles minimise soap and residue accumulation, reducing the need for cleaning.

### Glass Specification

Designed specifically for use with 6mm toughened glass.

### Colour Selection

	Black
	Wild Grey
	White Birch
	APO Grey
	Almond Cream
	Almond Ivory
	White
	Bright Satin
	Bright Bronze
	Bright Gold
	Bright Natural
	Matt Bronze
	Matt Gold
	Matt Natural

Special colours available upon request.

**Obligation-free measure & quote** Please call for an obligation-free measure and quote, and also ask for details on matching: **Mirox Fineline™**, Mirror Framing Systems. The Australian Design Award winning **Space:Maker Softline™**, **Mirrorline™**, **Finesse™**, **Strongline™**, **Triline™**, **Project™**, **Paneldoor™**, **Panel Line™**, **Expressions and Silhouette™** Sliding Wardrobe Door Systems. The Australian Design Award winning **Series 9300™** Sliding/Pivoting Shower Screen Systems range. The Australian Design Mark **Integrity™** 9400 Pivoting Shower Door Systems range. **The FreeStyle™** Shower and Bath Screen Systems. **Profile™ 2040**, **Contour™ 2050**, **Mirage 3050™**, **Eden 3040™**, **Nautilus™ 4010** and **Vogue 5050™** Perimeter Framed Shower Screen Systems.


### Available from:

# Series 9300™

FRAMED SLIDING SHOWER SCREEN SYSTEM WITH FRAMED DOORS



**SLIDING**



**DESIGN  
AWARD**

This quality product has been selected to hold the certification mark of the Australian Design Award.

Independent specialists have carefully assessed it against 42 design factors covering.

- Performance • Maintenance
- Value • Ease of Use
- Durability • Appearance
- Safety • Construction

The Australian Design Award recognises well designed products of International Standards

**STANDARDS AUSTRALIA** ✓

**Proudly  
Australian made  
and exported**



# Series 9300™

## FRAMED SLIDING SHOWER SCREEN SYSTEM WITH FRAMED DOORS

The Australian Design Award winning Series 9300™ shower screen range features sliding doors and a patented sequential door opening system



### Exceptional Value

Indulge your imagination and create an absolute premium bathroom design at a surprisingly affordable price.

### Adjustment

Provides up to 15mm return jamb and wall channel adjustment for out of square wall situations enabling ease of installation and further cost savings.

### Contoured Profiles

All elements of this Australian Design Award winning product, including head capping, return jambs, angle jambs and sill, reflect the latest in contoured design aesthetics.

### Sequential Door Opening System

The patented pulley-roller system ensures smooth, sequential and silent operation of the sliding door panels. It prevents clunking of the door panels during operation. This is a standard feature available on all Series 9300™ sliding door configurations.

### Glass Size

Designed specifically for use with 4mm, 5mm and 6mm toughened glass. Will also accept 6.5mm laminated glass if desired.

### Obligation-free measure & quote

Please call for an obligation-free measure and quote, and also ask for details on matching: Mirox Finesline™, Mirror Framing Systems. The Australian Design Award winning Space:Maker Softline™, Mirrorline™, Finesse™, Strongline™, Triline™, Project™, Panel Door™ Panel Line™, Expressions™ and Silhouette™ Sliding Wardrobe Door Systems. The Australian Design Award winning Series 9300™ Sliding/Pivoting Shower Screen Systems range. The Australian Design Mark Integrity™ 9400 Pivoting Shower Door Systems range. The FreeStyle™ Shower and Bath Screen Systems. Profile™ 2040, Contour™ 2050, Mirage 3050™, Eden 3040™ and Nautilus™ 4010 Perimeter Framed Shower Screen Systems.

### Components

Component and design features combine to provide convenience and colour co-ordination.

- Snap Caps
- Guide Blocks
- Dress Trims
- Anti-bacterial clear (i.e. frost) and colour matched glazing vinyl

### Water Resistance

Series 9300™ is designed to provide a high level of water resistance to minimise external splashing so your bathroom remains drier and safer.

### Low Maintenance

Smooth contoured profiles and cleverly designed tracking sill in all Series 9300™ configurations are specifically designed to minimise soap accumulation, reducing the need for cleaning.

### Design Flexibility

Series 9300™ Shower Screen Systems can be designed for installation into most bathrooms. Ask your distributor for advice on a design to suit your needs.

### Safety

Series 9300™ Shower Screen Systems are glazed to comply with the requirements of Australian Standards AS2208 and AS1288



Sequential Door Opening System



Components

### Colour Selection

	Black
	Wild Grey
	White Birch
	APO Grey
	Almond Cream
	Almond Ivory
	White
	Bright Satin
	Bright Bronze
	Bright Gold
	Bright Natural
	Matt Bronze
	Matt Gold
	Matt Natural

Special colours available on request

# Series 9300™ Corner Entry

FRAMED SLIDING SHOWER SCREEN SYSTEM WITH  
FRAMED MAGNETIC DOORS



SLIDING



DESIGN  
AWARD

This quality product is a variation to the Design Award winning Series 9300™ which was selected to hold the certification of the Australian Design Award.

Independent specialists have carefully assessed it against 42 design factors covering.

- Performance • Maintenance
- Value • Ease of Use
- Durability • Appearance
- Safety • Construction

The Australian Design Award recognises well designed products of International Standards

STANDARDS AUSTRALIA 





# Series 9300™ Corner Entry

## FRAMED SLIDING SHOWER SCREEN SYSTEM WITH FRAMED MAGNETIC DOORS

A new addition to the Australian Design Award winning Series 9300™ shower screen range features an incorporated head track, sliding doors and magnetic closure.



### Effective Space Utilisation

Dual sliding doors enable corner entry to the shower enclosure, providing clear and easy access. The **Series 9300™ Corner Entry** design facilitates the installation of a full size shower enclosure even when bathroom floor space is at a premium. Proximity of vanities, toilets and baths restricting access to the shower enclosure is no longer a problem.

### Magnetic Closure

Full length grip stiles incorporating PVC coated magnetic strips provide a positive close point-of-entry which eliminates door roll back and creates impressive water resistance improving bathroom safety and function.



Magnetic Closure



Guide Block

### Exceptional Value

Indulge your imagination and create an absolute premium bathroom design at a surprisingly affordable price.

### Low Maintenance

Smooth contoured profiles and cleverly designed tracking sill in all Series 9300™ configurations is specifically designed to minimise soap accumulation, which reduces the need for cleaning.

### Obligation-free measure & quote

Please call for an obligation-free measure and quote, and also ask for details on matching: Mirox Finline™, Mirror Framing Systems. The Australian Design Award winning Space:Maker Softline™, Mirrorline™, Finesse™, Strongline™, Triline™, Project™, Panel Door™ Panel Line™, Expressions™ and Silhouette™ Sliding Wardrobe Door Systems. The Australian Design Award winning Series 9300™ Sliding/Pivoting Shower Screen Systems range. The Australian Design Mark Integrity™ 9400 Pivoting Shower Door Systems range. The FreeStyle™ Shower and Bath Screen Systems. Profile™ 2040, Contour™ 2050, Mirage 3050™, Eden 3040™ and Nautilus™ 4010 Perimeter Framed Shower Screen Systems.

### Safety

**Series 9300™ Corner Entry** Shower Screen Systems are glazed to comply with the requirements of Australian Standards AS2208 and AS1288.

### Premium Operation

Innovative design of both extrusions and components used in the fabrication of the **Series 9300™ Corner Entry** combine to ensure smooth, silent operation of sliding door panels at all times.

### Water Resistance

**Series 9300™ Corner Entry** is designed to provide a high level of water resistance to minimise external splashing by combining vinyl spray flap, magnetic closure and advanced sill design ensuring your bathroom remains drier and safer.

### Concealed Head Track

Unique design has resulted in the incorporation of the Head Track and Head Capping into one section, providing a highly rigid, functional and aesthetically pleasing concealed Head Track design.

### Glass Size

Designed specifically for use with 4mm, 5mm and 6mm toughened glass. Will also accept 6.5mm laminated glass if desired.



Concealed Head Track



Premium Operation


### Colour Selection

	Black
	Wild Grey
	White Birch
	APO Grey
	Almond Cream
	Almond Ivory
	White
	Bright Satin
	Bright Bronze
	Bright Gold
	Bright Natural
	Matt Bronze
	Matt Gold
	Matt Natural

Special colours available on request

# Integrity™ 9410

FRAMED PIVOTING SHOWER SCREEN SYSTEM WITH FRAMED DOOR



## INTEGRITY™ 9410

The Good Design® Selection award is the independent symbol of design excellence and certifies that Integrity™ 9410 has been judged to be internationally competitive and exceeded the strict evaluation criteria for design excellence in the following categories:

- Form
- Safety
- Quality
- Innovation
- Function
- Sustainability
- Commerciality

**STANDARDS AUSTRALIA** ✓



# Integrity™ 9410

## FRAMED PIVOTING SHOWER SCREEN SYSTEM WITH FRAMED DOOR

**Integrity™ 9410** represents a Good Design® Selection award winning product, featuring a low profile twin tiered sill design.

### Advanced Sill Design

Contoured fully enclosed twin tiered sill design directs water run-off into shower base. Gasket sealing system ensures maximum water resistance. Low profile design is foot-friendly, unobtrusive and reduces external splashing for a cleaner, drier and safer bathroom.



### Handle Selection

An extensive range of handles are available in your choice of powder coated and gold, chrome or satin chrome plated finishes. Full length continuous double-handle stiles are also available and are user friendly and safe for all members of the family.

### Components

Component and design features combine to provide convenience and colour co-ordination.

- Snap Caps
- Dress Trims
- Pivot Blocks
- Anti-bacterial clear (i.e. frost) and colour matched glazing vinyl

### Water Resistance

4mm spacing at the sill significantly improves water resistance and eliminates splashing.



### Patented Pivot Mechanism

Utilising a stainless steel pivot pin, the **Integrity™ 9410** Shower Screen System features a 'positive close' low friction design mechanism, providing the benefit of whisper quiet and trouble free operation.



The 'lowering' effect of the design automatically reduces the gap between door and sill on door closure, which further assists with elimination of external splashing and improved water resistance.

### Integrated Fixed Panel

Fixed panels (where required) are glazed directly into the outer frame, minimising the potential for residue accumulation.



### Exceptional Value

**Integrity™ 9410** provides the opportunity to indulge your imagination and create the absolute premium bathroom design at a surprisingly affordable price.

### Low Maintenance

Smooth contoured profiles minimise soap and residue accumulation and the need for cleaning.

### Glass Size

Designed specifically for use with four (4), five (5) and six (6) mm toughened glass. Will accept 6.38 mm laminated safety glass if desired.

### Design Flexibility









**Integrity™ 9410** Shower Screen Systems can be designed for installation into most bathrooms. Ask your distributor for advice on a design to suit your needs.



### Safety

**Integrity™ 9410** Shower Screen Systems are glazed to comply with the requirements of Australian Standards AS2208 and AS1288.

### Colour Selection

	<b>Black</b>
	<b>Almond Cream</b>
	<b>White</b>
	<b>Bright Satin</b>
	<b>Bright Bronze</b>
	<b>Bright Gold</b>
	<b>Bright Natural</b>
	<b>Matt Natural</b>

Special colours available upon request.

**Obligation-free measure & quote** Please call for an obligation-free measure and quote, and also ask for details on matching:


The **Mirox Fineline™** and Mirror Framing Systems. The **ScreenTech™** Aluminium Screening Systems. The Australian Good Design Award® winning **Space:Maker Softline™**, **Mirrorline™**, **Finesse™**, **Fineline™**, **Strongline™**, **Tri-line™**, **Slimline™**, **Project™**, **Panel Door™**, **Panel-Line™**, **Expressions™** and **Silhouette™** Sliding Wardrobe Door Systems. The Australian Good Design Award® winning **Series 9300™** Sliding/Pivoting Shower Door Systems range. The Australian Good Design Award® Selection winning **Integrity™ 9400** Pivoting Shower Door Systems range. The **Nautilus™ 4010** Pivoting Shower Door System. The **FreeStyle™** Shower and Bath Screen Systems. The **Profile™ 2040**, **Contour™ 2050**, **Mirage 3050™**, **Eden 3040™** and **Vogue 5050™** Perimeter Framed Shower Screen Systems.

### Available from:



# Integrity™ 9411

Framed pivoting shower screen system with magnetic framed door



The "**GOOD DESIGN AWARD**" certifies that this product has been assessed by an independent panel of experts against over 60 criteria related to:

- Performance • Value
- Appearance • Durability
- Safety • Ease of use • Construction
- Technology • Environmental Effects

And has been judged to be internationally competitive

STANDARDS AUSTRALIA ✓



# Integrity™ 9411 Framed pivoting shower screen system with magnetic framed door

**Integrity™ 9411 is a Good Design Award winning product, featuring a low profile twin tiered sill design.**

## Modern Design & Componentry

• Component and design features combine to provide convenience and colour co-ordination • Snap Caps • Dress Trims • Pivot Blocks • Anti-bacterial clear (i.e. frost) and colour matched glazing vinyl • The Good Design Award, reflects the latest in design aesthetics and technology.



## Magnetic Door Seal

Colour co-ordinated PVC coated magnetic door seal provides for a cushioned rattle free operation and increased water resistance.

## Patented Pivot Mechanism

Utilising a stainless steel pivot pin, the **Integrity™ 9411** Shower Screen System features a 'positive close' low friction design mechanism, providing the benefit of whisper quiet and trouble free operation.

The 'lowering' effect of the design automatically reduces the gap between door and sill on door closure, which further assists with elimination of external splashing and improved water resistance.



## Safety

**Integrity™ 9411** Shower Screen Systems are glazed to comply with the requirements of Australian Standards AS2208 and AS1288.

## Exceptional Value

**Integrity™ 9411** provides the opportunity to indulge your imagination and create the absolute premium bathroom design at a surprisingly affordable price.

## Obligation-free measure & quote -

MIROX FINELINE™ Mirror Framing Systems, the Australian Design Award winning Space: Maker SOFTLINE™, MIRRORLINE™, STRONGLINE™, TRILINE™ and PANELDOOR™ Sliding Wardrobe Door Systems, the Australian Design Award winning SERIES 9300™ Sliding/Pivoting Shower Screen Systems range, the Australian Design Mark INTEGRITY™ 9400 Pivoting Shower Door Systems range, FreeStyle™ Shower and Bath Screen Systems. Profile™ 2040, Contour™ 2050, Mirage 3050™, Eden 3040™ and Nautilus™ 4010 Perimeter Framed Shower Screen Systems.

## Integrated Fixed Panel

Fixed panels (where required) are glazed directly into the outer frame, minimizing the potential for residue accumulation.



## Water Resistance

**Integrity 9411™** is available with a spray flap adaptor, which further improves on a 4mm spacing between the door bottom and sill, which significantly improves water resistance and eliminates splashing.



## Design Flexibility

**Integrity™ 9411** Shower Screen Systems can be designed for installation into most bathrooms. Ask your distributor for advice on a design to suit your needs.

## Advanced Sill Design

Contoured fully enclosed twin-tiered sill design directs water run-off into shower base. Gasket sealing system ensures maximum water resistance. Low profile design is foot-friendly, unobtrusive and reduces external splashing for a cleaner, drier and safer bathroom.



## Low Maintenance

Smooth contoured profiles minimise soap and residue accumulation and the need for cleaning.

## Handle Selection

A full-length continuous double handle door stile with magnetic closure is safe and user friendly, providing a splash resistant positive close, pivot door operation

## Colour Selection

	Black
	Wild Grey
	White Birch
	APO Grey
	Almond Cream
	Almond Ivory
	White
	Bright Satin
	Bright Bronze
	Bright Gold
	Bright Natural
	Matt Bronze
	Matt Gold
	Matt Natural

Special colours available on request.

## Available from: